



TECHNICAL SPECIFICATION

01. The scanned copy of this annexure (original downloaded) duly completed and seal signed by the bidder must be uploaded otherwise bid should not be considered. Any supplementary information may be uploaded separately.
02. The samples where-ever mentioned in specifications must be submitted in this Directorate along with physical submission of DD's of EMD etc, otherwise concerned item will not be considered for technical evaluation.
03. Scanned Copies of Original Literature/Leaflets/Catalogue etc. must be enclosed in support of your Make and Specifications otherwise concerned items will not be considered for Technical Evaluation.
04. The delivery period will be 60 Days.
05. The Material will be Supplied F.O.R. at District Level Industrial Training Institutes / Concerning Industrial Training Institutes as per enclosed List.
06. Authorization Certificate of manufacturer where-ever mentioned in specifications must be submitted in prescribed format (Annexure-L) otherwise concerned item will not be considered for Technical Evaluation.
07. All the required literature/ leaflets/Catalogues, authorisation certificates must be submitted with the tender and these will not be demanded by the department after receipt of tender.

Item No. : 02/2018-19 Due Date : 20.08.2018

Name of Tenderer :

Name of Item : DRILLING MACHINE PILLAR 0-20 mm

S. No.	Specifications	Qty.	Make & model	(*) Specify variation in Specification if any, otherwise write "No variation" / as per Specification.
01	<p>Drilling Machine Pillar Sensitive 0-20 mm Capacity with Swivel Table Motorized with Chuck & Key :-</p> <p>Pillar Type Drill Machine hand feed & Gear Drive Type motorized model "V"- Belt driven with "V" Pulley. Rack & pinion for slotted swivel table & Base. The swivel table mounted on a sturdy C.I. arm with locking system.</p> <ul style="list-style-type: none"> ➤ Drilling Capacity : 20 mm ➤ Centre Distance between spindle & work table : 200 mm ➤ Taper in spindle : MT2 ➤ Spindle Travel : 125 mm ➤ Number of speed : 8 ➤ Approx pillar height : 1500 mm ➤ Motor : 1 HP, 1440 RPM, 3 Phase 415 VAC ➤ Drill Chuck with Arbour MT2 & Key : 20 mm capacity 	175 Nos.		



Accessories :

1. Pump motor 0.1 HP with coolant tank & its complete fittings
2. Suitable Starters, Switch for motors & Electrical fittings
3. Drill machine vice 100 mm Jaw
4. Drill Drift
5. Service Tool Kit (Allen Key & Spanners) as per Machine
6. Safety Guard of motor & pulley

DISTRIBUTION

R O District	Item S. No.	Ajmer				Bharatpur				Bikaner				Jaipur																															
		Ajmer		Bhilwara		Nagar		Bharatpur		Sawaima dhopur		Bikaner		Hanum angarh		Sriganganagar		Alwar		Dausa		Jaipur		Jhunjhunu		Sikar																			
1	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2																		
		Gen	Min	SCS P	Gen	Min	Gen	Gen	Gen	Gen	Min	Min	Min	Min	Min	Min	Min	Gen	Gen	Gen	Gen	Gen	Gen	Gen	Gen	Gen	SCS P																		
		Masooda (Ajmer)	Tatoti (Ajmer)	Kishangarh	Ajmer Jail	Nasirabad (Ajmer)	Aasind (Bhilwara)	Banera (Bhilwara)	Kotadi (Bhilwara)	Raipur (Bhilwara)	Sahada (Bhilwara)	Mandal (Bhilwara)	Navan (Nagar)	Jayal (Nagar)	Gopalgarh (Bharatpur)	Bharatpur Jail	Pahari (Bharatpur)	Nagar (Bharatpur)	Choth Ka Barwada (Sawaimadhopur)	Bamanwas (Sawaimadhopur)	Gangapur City (Sawaimadhopur)	Loonkaransar (Bikaner)	Pachhu (Bikaner)	Shridungargarh (Bikaner)	Chattargarh (Bikaner)	Khajuwala (Bikaner)	Sangariya (Hanumangarh)	Tibbi (Hanumangarh)	Padampur (Sriganganagar)	Sriganganagar Jail	Laxmangarh (Alwar)	Suheta (Alwar)	Neemrana (Alwar)	Ramgarh (Alwar)	Kishangarhwas (Alwar)	Tijara (Alwar)	Lawaan (Dausa)	Baswa (Dausa)	Sikrai (Dausa)	Jaipur P.C.	Jaipur Jail	Kho-Nagoriyan (Jaipur)	Navalgarh (Jhunjhunu)	Laxmangarh W.	Shree Madhopur (Sikar)

