

Bid Document

Bid Details	
Bid End Date/Time	17-11-2022 16:00:00
Bid Opening Date/Time	17-11-2022 16:30:00
Bid Offer Validity (From End Date)	90 (Days)
Ministry/State Name	Rajasthan
Department Name	Labour Department Rajasthan
Organisation Name	Directorate Of Technical Education (training)
Office Name	Directorate Of Technical Education Jodhpur
Total Quantity	121
	<p>AC Ammeter MI, analog, portable box type housed in Bakelite case 0 - 1 A , AC Ammeter MI, analog, portable box type housed in Bakelite case 0-25 A , AC Ammeter MI, analog, portable box type housed in Bakelite case 0-5 A , A.C. Voltmeter M.I. analog, portable box type housed in Bakelite case Multi range 75 V - 150V - 300V - 600V , Ammeter MC analog, portable box type housed in Bakelite case 0-25 A , Ammeter MC analog, portable box type housed in Bakelite case 0-5 A , Ammeter MC analog, portable box type housed in Bakelite case 0 - 500 Ma , Laboratory Type Induction Coil 1000 W , Ohm Meter Series Type portable box type 50 and 2000-ohm analog , Ohm Meter Shunt Type portable box type 50 and 2000-ohm analog , Milli Voltmeter centre zero analog, portable box type housed in Bakelite case 100 0 100 mV , Electrical Machine Trainer , D.C. Shunt Generator with control panel,2.5 KW, 220V and 3phase Squirrel cage Induction Motor, 5HP, 440V with control panel and star delta starter , D.C. Compound Generator with control panel including fitted rheostat, voltmeter, ammeter and breaker , D.C. Generators-series type for overhauling-Used , D.C. Generators- shunt type for overhauling-Used , D.C. Generators- compound type for overhauling-Used , Motor-Generator AC to DC , Motor Generator DC to AC , A.C. Series type Motor 1 HP, 240V, 50 Hz , AC phase-wound slip ring Motor with starter and switch 5 HP, 400 volts, 3-phase, 50 cycles , AC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse with Mechanical Load. 5 HP, 3-Phase, 415 V, 50 Hz , Single Phase Capacitor Motor with starter switch 1 HP 240 volt 50 cycles , DC Series Motor coupled with Spring Balance Load 2.5 KW, 220 Volts , DC compound Motor with starter and switch 2.5 KW ,220 volts , DC Shunt Motor 2.5 KW, 220 volts , Shaded Pole Motor Fractional HP, 240 V, 50 Hz , Stepper Motor with Digital Controller , Synchronous motor with accessories like starter, excitation arrangements. 3 Phase, 3 HP, 440V, 50Hz, 4 Pole , Universal Motor with starter and switch 240 volt, 50 cycles 1 HP , Motor Pump set 1 HP, 1 Phase, 240 V , Auto Transformer type For A.C Motors of 2 to 5 H.P. , 3 point D.C. Starter For 2.5 KW DC motor . 4 point D.C. Starter For 2.5</p>

<p>Item Category</p>	<p>Bid Details KVA Motor, Resistance type starter For A.C Motors of 2 to 5 H.P. , Star Delta Starter Manual For A.C Motors of 2 to 5 H.P. , Star Delta Starter Semi automatic For A.C Motors of 2 to 5 H.P. , Star Delta Starter Soft starter For A.C Motors of 2 to 5 H.P. , star Delta Starter Fully automatic For A.C Motors of 2 to 5 H.P. , Discrete Component Trainer for diode and transistor circuit with regulated power supply , Linear I.C. Trainer with regulated power supply 1.2V to 15V PIC socket 16pin and 20 pin with bread board , Wheat Stone Bridge with galvanometer and battery , Single Phase Variable Auto Transformer 0 - 270 V, 10Amp Air cooled , Single phase Transformer, core type, air cooled 1 KVA , 240 and 415 V, 50 Hz , Current Transformer 415 Volt,50 Hz, CT Ratio 25 and 5 Amp, 5VA , Potential Transformer 415 Volt,50Hz, PT Ratio 440 V and 110V, 10VA , Three phase transformer, shell type oil cooled with Delta and Star 3 KVA , 415 and 240 V, 50 Hz , , Manual Motor coil Winding Machine With step arbor , Ceiling fan coil Winding Machine , Solar panel with Battery 12V, 18 Watt , Oil Testing Kit Oil Testing Kit 230 V, single phase 50 Hz 60 VA output 0-60 KV Variable , De soldering Gun Heat proof nozzle, PVC type, 250mm , Thyristor IGBT controlled D.C. motor drive with tacho-generator feedback arrangement 1 HP , Thyristor IGBT controlled A.C. motor drive with VVVF control 3 Phase, 2 HP , Tachometer Analog Type 10000 RPM , Tachometer Digital Photo Sensor Type 10000 RPM , Geyser Storage type 10 ltr , Electric Induction Plate 1500 watt 240 V , Electric Kettle, 1500 watts 240 V , Electric Iron Automatic 750 watts 240 V , Immersion Heater 1500 watt 240 V , A.C. Ceiling Fan and Table Fan Each , Mixture and Grinder 750 W, 240 V , Washing Machine Semi Automatic 5 Kg. , Load Bank Lamp heater Type 6KW, 3 Phase , Relays Cut out 16 A 440 V , Relays Reverse current 16 A 440 V , Relays Over current 16 A 440 V , Relays Under voltage 360 V to 440 V , Voltage StabilizerInput 150 to 230 volt AC, Output 220 volt AC , Rubber mat 2 x 4 x 1 , Contactor and Auxiliary contacts 3 phase, 440 volt, 32 amp. with 2 NO and 2 NC Each , Contactor and Auxiliary contacts 3 phase, 415 Volt, 25 Amp with 2 NO and 2 NC Each , Rheostat 0 to 25 Ohm, 2 Amp , Rheostat 0 to 300 Ohm, 2 Amp , Rheostat 0- 1 Ohm, 10 Amp , Rheostat 0- 10 Ohm, 5 Amp , Knife Switch DPDT fitted with fuse terminals 16 amp , Knife Switch TPDT fitted with fuse terminals 16 amp and 440 V , Limit Switch Limit Switch,liver oprated 2A 500v,2-contacts , Rotary Switch 16 A and 440 V , Miniature Breaker 16 amp</p>
<p>BOQ Title</p>	<p>Electrical Meters Trainers Trade Items BOQ 4</p>
<p>Minimum Average Annual Turnover of the bidder (For 3 Years)</p>	<p>16 Lakh (s)</p>
<p>OEM Average Turnover (Last 3 Years)</p>	<p>32 Lakh (s)</p>
<p>Years of Past Experience Required for same/similar service</p>	<p>3 Year (s)</p>
<p>MSE Exemption for Years Of Experience and Turnover</p>	<p>Yes</p>
<p>Startup Exemption for Years Of Experience and Turnover</p>	<p>Yes</p>

Bid Details	
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	20 %
Bid to RA enabled	No
Primary product category	Electrical Machine Trainer
Time allowed for Technical Clarifications during technical evaluation	5 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Advisory Bank	State Bank of India
EMD Amount	16209

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	2.50
Duration of ePBG required (Months).	18

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD to be submitted offline as per buyer requirement.

(c). ePBG to be submitted offline as per buyer requirement.

(d). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Deputy Director (Training)
Directorate of Technical Education Jodhpur, Labour Department Rajasthan, Directorate of Technical Education (Training),
(Surendra Kumar Khandelwal)

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference	No
-------------------------	----

MII Purchase Preference

MII Purchase Preference	No
-------------------------	----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

AC Ammeter MI, Analog, Portable Box Type Housed In Bakelite Case 0 - 1 A

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

AC Ammeter MI, Analog, Portable Box Type Housed In Bakelite Case 0-25 A

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

AC Ammeter MI, Analog, Portable Box Type Housed In Bakelite Case 0-5 A

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

A.C. Voltmeter M.I. Analog, Portable Box Type Housed In Bakelite Case Multi Range 75 V - 150V - 300V - 600V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	3	90

Ammeter MC Analog, Portable Box Type Housed In Bakelite Case 0-25 A

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Ammeter MC Analog, Portable Box Type Housed In Bakelite Case 0-5 A

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Ammeter MC Analog, Portable Box Type Housed In Bakelite Case 0 - 500 Ma

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Laboratory Type Induction Coil 1000 W

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Ohm Meter Series Type Portable Box Type 50 And 2000-ohm Analog

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Ohm Meter Shunt Type Portable Box Type 50 And 2000-ohm Analog

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Milli Voltmeter Centre Zero Analog, Portable Box Type Housed In Bakelite Case 100 0 100 MV

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Electrical Machine Trainer

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document

[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

D.C. Shunt Generator With Control Panel,2.5 KW, 220V And 3phase Squirrel Cage Induction Motor, 5HP, 440V With Control Panel And Star Delta Starter

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

D.C. Compound Generator With Control Panel Including Fitted Rheostat, Voltmeter, Ammeter And Breaker

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

D.C. Generators-series Type For Overhauling-Used

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

D.C. Generators- Shunt Type For Overhauling-Used

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

D.C. Generators- Compound Type For Overhauling-Used

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Motor-Generator AC To DC

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Motor Generator DC To AC

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

A.C. Series Type Motor 1 HP, 240V, 50 Hz

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

AC Phase-wound Slip Ring Motor With Starter And Switch 5 HP, 400 Volts, 3-phase, 50 Cycles

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document

[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

AC Squirrel Cage Motor With Star Delta Starter And Triple Pole Iron Clad Switch Fuse With Mechanical Load. 5 HP, 3-Phase, 415 V, 50 Hz

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Single Phase Capacitor Motor With Starter Switch 1 HP 240 Volt 50 Cycles

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

DC Series Motor Coupled With Spring Balance Load 2.5 KW, 220 Volts

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

DC Compound Motor With Starter And Switch 2.5 KW ,220 Volts

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

DC Shunt Motor 2.5 KW, 220 Volts

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Shaded Pole Motor Fractional HP, 240 V, 50 Hz

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Stepper Motor With Digital Controller

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Synchronous Motor With Accessories Like Starter, Excitation Arrangements. 3 Phase, 3 HP, 440V, 50Hz, 4 Pole

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Universal Motor With Starter And Switch 240 Volt, 50 Cycles 1 HP

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Motor Pump Set 1 HP, 1 Phase, 240 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Auto Transformer Type For A.C Motors Of 2 To 5 H.P.

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

3 Point D.C. Starter For 2.5 KW DC Motor

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

4 Point D.C. Starter For 2.5 KW DC Motor

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Resistance Type Starter For A.C Motors Of 2 To 5 H.P.

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Star Delta Starter Manual For A.C Motors Of 2 To 5 H.P.

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Star Delta Starter Semi Automatic For A.C Motors Of 2 To 5 H.P.

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Star Delta Starter Soft Starter For A.C Motors Of 2 To 5 H.P.

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Star Delta Starter Fully Automatic For A.C Motors Of 2 To 5 H.P.

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Discrete Component Trainer For Diode And Transistor Circuit With Regulated Power Supply

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Linear I.C. Trainer With Regulated Power Supply 1.2V To 15V PIC Socket 16pin And 20 Pin With Bread Board

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Wheat Stone Bridge With Galvanometer And Battery

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Single Phase Variable Auto Transformer 0 - 270 V, 10Amp Air Cooled

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Single Phase Transformer, Core Type, Air Cooled 1 KVA , 240 And 415 V, 50 Hz

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	3	90

Current Transformer 415 Volt,50 Hz, CT Ratio 25 And 5 Amp, 5VA

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Potential Transformer 415 Volt,50Hz, PT Ratio 440 V And 110V, 10VA

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Three Phase Transformer, Shell Type Oil Cooled With Delta And Star 3 KVA , 415 And 240 V, 50 Hz ,

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Manual Motor Coil Winding Machine With Step Arbor

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Ceiling Fan Coil Winding Machine

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Solar Panel With Battery 12V, 18 Watt

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Oil Testing Kit Oil Testing Kit 230 V, Single Phase 50 Hz 60 VA Output 0-60 KV Variable

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

De Soldering Gun Heat Proof Nozzle, PVC Type, 250mm

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	4	90

Thyristor IGBT Controlled D.C. Motor Drive With Tacho-generator Feedback Arrangement 1 HP

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Thyristor IGBT Controlled A.C. Motor Drive With VVVF Control 3 Phase, 2 HP

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Tachometer Analog Type 10000 RPM

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Tachometer Digital Photo Sensor Type 10000 RPM

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Geyser Storage Type 10 Ltr

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Electric Induction Plate 1500 Watt 240 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Electric Kettle, 1500 Watts 240 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Electric Iron Automatic 750 Watts 240 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Immersion Heater 1500 Watt 240 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

A.C. Ceiling Fan And Table Fan Each

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Mixture And Grinder 750 W, 240 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Washing Machine Semi Automatic 5 Kg.

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Load Bank Lamp Heater Type 6KW, 3 Phase

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Relays Cut Out 16 A 440 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Relays Reverse Current 16 A 440 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Relays Over Current 16 A 440 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Relays Under Voltage 360 V To 440 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Voltage Stabilizer Input 150 To 230 Volt AC, Output 220 Volt AC

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Rubber Mat 2 X 4 X 1

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Contactors And Auxiliary Contacts 3 Phase, 440 Volt, 32 Amp. With 2 NO And 2 NC Each

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Contactor And Auxiliary Contacts 3 Phase, 415 Volt, 25 Amp With 2 NO And 2 NC Each

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Rheostat 0 To 25 Ohm, 2 Amp

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Rheostat 0 To 300 Ohm, 2 Amp

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Rheostat 0- 1 Ohm, 10 Amp

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Rheostat 0- 10 Ohm, 5 Amp

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	1	90

Knife Switch DPDT Fitted With Fuse Terminals 16 Amp

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	4	90

Knife Switch TPDT Fitted With Fuse Terminals 16 Amp And 440 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	4	90

Limit Switch Limit Switch,liver Oprated 2A 500v,2-contects

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Rotary Switch 16 A And 440 V

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Miniature Breaker 16 Amp

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prem Chand Yadav	312605,Government Industrial Training Institute Pratapgarh Banswara Road, Near 220kv GSS, Pratapnagar 312605	2	90

Buyer Added Bid Specific Terms and Conditions

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

4. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

6. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

7. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of

Service Centres near consignee destinations are to be uploaded along with the bid.

9. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of Directorate Of Technical Education (Training) payable at Jodhpur, Rajasthan.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

10. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

11. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of Directorate Of Technical Education (Training) payable at Jodhpur Rajasthan.

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

12. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of Directorate Of Technical Education (Training) payable at Jodhpur Rajasthan. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

13. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of Directorate Of Technical Education (Training) Jodhpur Rajasthan A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---